

Amendments to the Claims

1) (presently amended): A method, comprising the steps of:

(a) obtaining information from a first device in a first short distance wireless network;
and,

transferring the information to a second device in a Wide Area Network
("WAN"), and,

(b) making a business decision responsive to the information, wherein the information
is WAN telecommunication usage of the first device.

2) (presently amended): The method of claim 1, wherein the ~~obtaining step includes the~~
~~step of obtaining the information from~~ first device is a Bluetooth™ device.

3) (presently amended): The method of claim 1, wherein the ~~obtaining step includes the~~
~~step of obtaining the information from a~~ first device includes having a 2.4 GHz transceiver.

4) (presently amended): The method of claim 1, wherein the ~~obtaining step includes the~~
~~step of obtaining the information from a~~ first device includes having a 5.7 GHz transceiver.

5) (presently amended): The method of claim 1, wherein the ~~obtaining step includes the~~
~~step of obtaining the information from a cellular modem, in the short distance wireless network,~~

~~communicating with a Wide Area Network ("WAN"). transferring step includes transferring the information from a cellular modem to the second device.~~

6) (presently amended): The method of claim 5, wherein the ~~obtaining~~ transferring the information from ~~a~~ the cellular modem step is in response to a request from the second device a server in the WAN.

7) (presently amended): The method of claim 5, wherein the ~~obtaining~~ transferring the information from ~~a~~ the cellular modem is generated periodically by the cellular modem.

8) (presently amended): The method of claim 5, wherein the ~~obtaining~~ transferring information from ~~a~~ the cellular modem is generated in response to a user input.

9) (presently amended): The method of claim 1, wherein the ~~obtaining step includes the step of obtaining the information from a cellular telephone, in the short distance wireless network, communicating with a Wide Area Network ("WAN").~~ transferring step includes transferring the information from a cellular telephone to the second device.

10) (presently amended): The method of claim 1, wherein the obtaining step further includes obtaining the information in an Internet Protocol ("IP") packet. ~~obtaining step further includes the step of obtaining information from a second short distance wireless network.~~

11) (presently cancelled)

12) (presently amended): ~~The method of claim 1~~, A method, comprising the steps of:
obtaining information from a first device in a first short distance wireless
network;

transferring the information to a second device in a Wide Area Network
("WAN"), and,

making a business decision responsive to the information, wherein the information
is an indication of the health of a the first device in the first short distance wireless network.

13) (presently amended): The method of claim 12 ~~1~~, wherein the information is an
indication of the health of a battery of a the first device in the first short distance wireless
network.

14) (original) The method of claim 12, wherein the making step includes the step of
providing a user of the short distance wireless network with a replacement device.

15) (original): The method of claim 13, wherein the making step includes the step of
providing a user of the short distance wireless network with a replacement battery.

16) (presently amended): The method of claim ~~1~~, wherein the making step includes the
step of downloading a software component to a the first device in the first short distance wireless,
wherein the software component provides a service to the first short distance wireless network.

17) (original): The method of claim 1, wherein the making step includes the step of generating an invoice for a user of the first short distance wireless network.

18) (presently amended): The method of claim 17, wherein the invoice includes a first charge for a first manufacturer device in the first short distance wireless network.

19) (presently amended): The method of claim 17, wherein the invoice includes a first charge for a the first device, in the first short distance wireless network, transferring a first type of data on the WAN ~~a wide area network~~ and a second charge for the first device transferring a second type of data on the WAN ~~wide area network~~.

20) (presently amended): The method of claim 17, wherein the invoice includes a first charge for a first type of device, in the first short distance wireless network, for accessing the WAN ~~a wide area network~~ and a second charge for a second type of device, in the first short distance wireless network, accessing the WAN ~~wide area network~~.

21) (original): The method of claim 19, wherein the transferring the first type of data is during a first period of time and the transferring the second type of data is during a second period of time.

22) (original): The method of claim 1, wherein the making step includes the step of generating a pricing plan for a user of the first short distance wireless network responsive to the information.

23) (presently amended): The method of claim 14 10, wherein the making step includes the step of providing a promotional plan for a first user of the first short distance wireless network and a second user of a the second short distance wireless network.

24) (original): The method of claim 23, wherein the providing a promotional plan step includes providing the first user a device, at a discounted cost, for the first short distance wireless network.

25) (presently amended): A method for making a business decision, comprising the steps of:

(a) ~~obtaining~~ transferring the first device information from a first device in a short distance wireless network to a second device in the short distance wireless network; and, transferring the first device information from the second device to a third device in a Wide Area Network ("WAN"), and,

(b) providing a user of the short distance wireless network with an object responsive to the first device information and user information, wherein the providing step further includes the step of obtaining user information from a database in the WAN.

26) (presently amended): The method of claim 25, wherein the second device is a cellular telephone.

27) (presently amended): The method of claim 26 25, wherein the first device is a Bluetooth™ device communicating with a cellular telephone device.

28) (presently cancelled)

29) (presently amended): The method of claim 25, wherein the first device information includes an indication of a battery life of the device and the object is a battery.

30) (presently amended): The method of claim 29, wherein the providing step includes the step of mailing the battery to a the user.

31) (presently amended): The method of claim 25, wherein the first device information includes ~~the~~ a health of the first device and the object includes a replacement first device.

32) (presently amended): The method of claim 25 28, wherein the first device information is a telecommunication usage of the first device on the WAN ~~wide area network~~ and the object is an invoice for charges associated with the telecommunication usage.

33) (presently amended): The method of claim 32, wherein the user information includes a pricing plan of the user and the WAN ~~wide area network~~ includes a cellular network.

3435 (presently amended): The method of claim 33, wherein the charges are a function of a device type.

35) (original): The method of claim 33, wherein the charges are a function of the period of time of the telecommunication usage.

36) (original): The method of claim 33, wherein the charges are a function of the type of data transferred during the telecommunication usage.

37) (presently amended): The method of claim 25, wherein the information is a telecommunication usage on a WAN ~~wide area network~~ and the object is a message for limiting the telecommunication usage.

38) (presently amended): The method of claim 25 28, wherein the transferring the first device information from the first device to the second device includes generating a short-range signal from the first device to the second device, and wherein the transferring the first device information from the second device to the third device includes generating a cellular signal from the second device to a processing device in the WAN.

~~obtaining step further comprises the steps of:~~

~~(c) — generating a short range radio signal, containing the information, from the Bluetooth™ device, to a cellular device, and,~~

~~(d) — generating a cellular signal, containing the information, from the cellular device to a processing device in a wide area network.~~

39) (presently amended): The method of claim 38, wherein the generating a short-range radio signal is responsive to a user input.

40) (presently amended): The method of claim 38, wherein the generating a short-range radio signal is generated periodically.

41) (presently amended): The method of claim 38, wherein the generating a short-range radio signal is responsive to a comparison between a threshold value and a device value.

42) (presently amended): The method of claim 26, wherein the transferring the first device information from the second device to the third device obtaining step further comprises the step of:

(e) generating a cellular signal, containing the first device information, responsive to a request message.

43) (original): The method of claim 42, wherein the request message is generated periodically.

44) (presently amended): The method of claim 25, wherein the first device includes a short-range radio processor and a 2.4 GHZ transceiver.

45) (presently amended): The method of claim 25, wherein the first device includes a short-range radio processor and a 5.7 GHZ transceiver.

46) (presently amended): The method of claim 25, wherein the first device is selected from a group consisting of a desktop computer, a laptop computer, a personal digital assistant, a headset, a pager, a printer, a watch, a thin terminal, a digital camera and an equivalent.

47) (original): The method of claim 25, wherein the short distance wireless network is a Bluetooth™ network.

48) (presently amended): A method for providing a user with a battery, comprising the steps of:

- SUB
B
- (a) generating a short-range radio signal, containing information regarding a battery life of a device, from the device in a short distance wireless network to a cellular device;
- (b) generating a cellular signal, containing the information, from the cellular device to a processing device in a wide area network; and,
- (c) providing the user of the short distance wireless network with the battery for the device responsive to the information.
- AI
Cancel

49) (presently amended): A method for billing a user of a telecommunication network, comprising the steps of:

- (a) generating a short-range radio signal, containing usage information of a device on the telecommunication network, from the device in a short distance wireless network to a cellular device;
- (b) generating a cellular signal, containing the usage information, from the cellular device to a processing device in the telecommunication network; and,
- (c) providing the user with an invoice for charges associated with the usage information.

50) (presently amended): A system for providing an object to a user of a short distance wireless network, comprising:

- (a) a device ~~for generating~~ to generate a short-range radio signal containing device information;
- (b) a cellular device ~~for generating~~ to generate a cellular signal, containing the device information, responsive to the short-range radio signal; and,
- (c) a processing device, having a database containing user information, ~~for providing~~ to provide an object to the user responsive to the device information and the user information.

51) (original): The system of claim 50, wherein the processing device is in a wide area network and the object is an invoice for usage of the device on the wide area network.

52) (original): The system of claim 50, wherein the object is a battery and the device information includes the battery life of the device.

53) (original): The system of claim 50, wherein the object is a replacement device and the device information includes the status of the device.

54) (presently amended): An article of manufacturer, including a computer readable medium, comprising:

- (a) a short-range radio software component ~~for receiving~~ to receive a short-range radio signal, containing a usage information of a device on a wide area network, in a short distance wireless network responsive to a message request; and,

(b) a cellular software component ~~for generating~~ to generate a cellular signal, containing the usage information of the device, in the cellular network.

55) (added): A method, comprising:

accessing a first server in a Wide Area Network ("WAN") from a first device, having a battery, in a short distance wireless network;

storing a usage information of the first device accessing the first server;

transferring the usage information to a second server in the WAN;

providing an invoice to a user of the short distance wireless network responsive to the usage information;

obtaining a battery information regarding a health of the battery in the first device;

transferring the battery information to a third server; and,

providing a replacement battery to a user of the short distance wireless network responsive to the battery information.

56) (added): The method of claim 55, wherein the storing step includes storing the usage information in a second device in the short distance wireless network and the transferring step includes transferring the usage information from the second device to the second server.

57) (added): The method of claim 55, wherein the second and third servers are the same servers.